

WTH600-E-KIT Wireless Weather Station Kit



Extech's Weather Station helps you plan your day-to-day outdoor activities that may be affected by weather conditions including businesses involved with construction, agriculture, and recreation. The WTH600-E-KIT includes an indoor Wireless Base Station with a large LCD displaying indoor Temperature, Humidity, and outdoor weather conditions, plus date and time. It also comes with an outdoor Wireless Transmitter with 5 built-in sensors, including a self-emptying rain collector for measuring rainfall, wind cups for wind speed, wind vane for wind direction, and temperature and humidity sensors. It sends data by a low power radio frequency to the Base Sation up to 150m away. The kit comes assembled for easy installation.

Outdoor Transmitter Features

Rainfall, Temperature, and Humidity

WTH600-E-KIT Features

set the clock mode)

mph, knots)

• Outdoor weatherproof (IP67) transmitter with 5 built-

in sensors measuring Wind Speed, Wind Direction,

• Long-range transmission up to 150m between Outdoor

• Measures Gust or Average Wind Speed in (m/s, km/h,

Clock Mode operates at 868 MHz frequency for EU

· Completes with one Base Station with 3 AA batteries

and one Transmitter with 3 AA batteries

and UK regions (all other countries, user can manually

Wireless Transmitter and Indoor Base Station



Indoor Base Station Features

- Weather Forecast displays Sunny, Partially Cloudy, Cloudy, Rainy, Stormy, or Snowy condition
- Barometric pressure in Relative or Absolute readings
- Displays Rain Rate, Daily, Weekly, Monthly and Total Rainfall measurement (in inches or millimeters)
- Historical bar chart display for rainfall (past 5 days) or pressure changes (1, 3, 6, 12, 24 hours)
- Measures Indoor Temperature and Humidity and indicates comfort level and dew-point
- Max/Min readings with time-date stamps
- Hourly records for the past 24 hours
- Hi/Lo alert setting (indoor & outdoor temperature, windspeed, and rainfall)
- Flashing Amber LED indicator for Hi/Lo Alert warning
- Amber LED backlight
 - Low battery indicator for sensor and main unit
 - Signal strength indication for sensor
- Clock display with date and weekday (5 languages : EN / DE / FR / IT/ ES)
- Clock alarm function and Ice-Alert

Ordering

WTH600-E-KIT.. Wireless Weather Station Kit (one each - Base Station and Transmitter) NOTE: For Radio Controlled Clock feature, this product operates at 868 MHz compatible for EU & UK regions. All other regions, user can manually set the clock mode.



Specifications subject to change without notice. Copyright © 2018 FLIR Systems, Inc. All rights reserved including the right of reproduction in whole or in part in any form. Rev. 5/18/18

www.valuetronics.com

Wireless Indoor Base Station Specifications	Range	Max Resolution	Basic Accuracy
Temperature	-40 to 70°C (-40 to 158°F)	0.1°	±1°C (±2°F)
Relative Humidity	20 to 90%RH	1%RH	±5%RH
Barometer	15.95 to 32.48 inHg	0.01 inHg	±0.12 inHg
	405 to 825 mmHg	0.1 mmHg	±3 mmHg
	540 to 1100 hPa	1hPa	±4 hPa
Dew Point (Calculated)	-40 to 70°C (-40 to 158°F)	0.1°	
Weather forecast	Sunny / Clear, slightly Cloudy, Cloudy, Rainy, Rainy / Stormy and Snowy		
Radio Controlled Atomic Clock			
Synchronization	Auto or disabled		
Clock display	HH:MM:SS / Weekday		
Hour format	12hr AM/PM or 24hr		
Calendar	MM/DD		
Languages (weekday)	EN, FR, DE, ES, IT		
Time signal	DCF (can be disabled)		
Time zones	PST, MST, CST, EST, AST, NST		
DST (daylight savings)	AUTO / OFF		
Frequency	868 MHz (EU/UK) for Clock Mode		
Wireless Outdoor Transmitter Specifications	Range	Max Resolution	Basic Accuracy
Temperature	-40 to 80°C (-40 to 176°F)	0.1°	±0.5°C (±1.0°F)
Relative Humidity	1 to 99%RH	1%RH	±3%RH
Wind Speed			
m/s (meters per second)	0 to 50 m/s	0.1 m/s	±6%
m/s (meters per second) km/h (kilometers per hour)	0 to 50 m/s 0 to 180 km/h	0.1 m/s 0.1 km/h	±6% ±6%
· · · · /			
km/h (kilometers per hour)	0 to 180 km/h	0.1 km/h	±6%
km/h (kilometers per hour) MPH (miles per hour)	0 to 180 km/h 0 to 112 MPH	0.1 km/h 0.1 MPH	±6% ±6%
km/h (kilometers per hour) MPH (miles per hour) knots (nautical miles per hour)	0 to 180 km/h 0 to 112 MPH 0 to 97 knots	0.1 km/h 0.1 MPH	±6% ±6%
km/h (kilometers per hour) MPH (miles per hour) knots (nautical miles per hour) Wind Direction	0 to 180 km/h 0 to 112 MPH 0 to 97 knots	0.1 km/h 0.1 MPH	±6% ±6%
km/h (kilometers per hour) MPH (miles per hour) knots (nautical miles per hour) Wind Direction Weather Index	0 to 180 km/h 0 to 112 MPH 0 to 97 knots 16 points	0.1 km/h 0.1 MPH 0.1 knots	±6% ±6% ±6%
km/h (kilometers per hour) MPH (miles per hour) knots (nautical miles per hour) Wind Direction Weather Index Wind Chill	0 to 180 km/h 0 to 112 MPH 0 to 97 knots 16 points -40 to 70°C (-40 to 158°F)	0.1 km/h 0.1 MPH 0.1 knots 0.1°	±6% ±6% ±6% ±2°C (±1°F)
km/h (kilometers per hour) MPH (miles per hour) knots (nautical miles per hour) Wind Direction Weather Index Wind Chill Heat Index	0 to 180 km/h 0 to 112 MPH 0 to 97 knots 16 points -40 to 70°C (-40 to 158°F) 26 to 50°C (78.8 to 122°F)	0.1 km/h 0.1 MPH 0.1 knots 0.1° 0.1° 0.1° 0.4mm (0.0157") < 22 mm (4.7 x 7.5 x 0.9");	±6% ±6% ±6%

Specifications subject to change without notice. Copyright © 2018 FLIR Systems, Inc. All rights reserved including the right of reproduction in whole or in part in any form.

www.valuetronics.com